



SCANIA OGHAB



www.oghabafshan.com

sales@oghabafshan.com

According to the fundamental policy of Oghab Afshan Company regarding continuous improvement of products and services, the company reserves the right to change the technical specifications without prior notice.

Chassis

- Scania, type: KUB

Engine

- Type: Scania - DC09 115
 - Number of cylinders: 5
 - Output: 310 hp (228 kW) at 1900 rpm
 - Displacement: 9290 cc
 - Max. torque: 1550 Nm at 1000-1350 rpm
 - Emission rating: Euro 3
- Options: Euro 4 - 5 - 6 (Euro 6 CNG)
- Equipped with turbocharger, charge air cooler, fuel cooler and centrifugal oil cleaner
 - A strong guard in the chassis and under the engine protects the engine against damages.

Gearbox

- Automatic ZF, 6AP1400B, with vertical R-N-D gear selector
- Equipped with ZF hydraulic retarder

Cooling system

- Radiator with expansion tank and automatic cooling fan with hydraulic drive system

Suspension

Front axle

- Scania, two air bellows + two shock absorbers

Rear axle

- Scania, four air bellows + four shock absorbers
- Total raising and lowering. For more safety, the vehicle returns to normal level automatically when the vehicle speed exceeds 30 km/h.
- Whole side kneeling

Rear axle gear ratio

- 4.88:1

Brake system

- Air brake system, disc brakes
- Air brakes with independent circuit for front, rear and parking
- Anti-lock Brake System (ABS)
- Electronic Brake System (EBS)
- Traction Control (TC)

- Automatic exhaust brake
- Bus Stop Brake (BSB)

Electrical system

- Two alternators: 150 A, 24 V
- Two batteries: 230 Ah, 12 V
- Body and chassis electrical System Multiplex (CAN)

Tires

- Michelin/Bridgestone 275/70R22.5

Driver area

- Steering wheel, adjustable in height and rake
- The hanging accelerator and brake pedals are installed on the steering pillar for driver's comfort.
- Instrument cluster and digital tachograph
- On Board Diagnostic system (OBD)
- Pneumatic seat: Pilot/ Sege with armrest and 3-point seat belt.

Capacities and dimensions

- Passenger capacity: 41 sitting passengers and 22 standing passengers + 1 Wheel chair
- Passenger seat: Esteban, made of polyamide, with textile cover
- Wheelbase: 6532 mm
- Total length: 12947 mm
- Total width: 2550 mm
- Total height with AC: 3215 mm
- Max. permissible weight on front axle: 7100 kg
- Max. permissible weight on rear axle: 12000 kg
- Max. permissible weight with load and passengers: 19100 kg
- Fuel capacity: 220 liters

Body structure

- The body structure is made of steel and welded with MIG/ MAG welding apparatus and has EU-certification of R-107.
- The body is covered with galvanized and fiberglass sheets and painted with epoxy paints. The underside of the floor is protected against rust and corrosion with a thick layer of corrosion preventive oil.

AC and heating systems

- The Konvekta tropical AC has an evaporator cooling power of 44 kW with Bock compressor.
- Driver area heater, roof mounted heater and convector with total heating power of 48 kW.

Audio/Visual system

- FM radio
- Audio player using flash memory
- Amplifier
- LED Sign boxes (inside and outside)
- Color monitor with two inputs for the rear view camera and a camera above the rear steps.
- CCTV (Non-recording) in passenger area

Standard equipment

- Curtains for all side windows
- Laminated double glazed windscreen
- Tempered double glazed side windows
- Stainless steel stanchions
- Driver's cab
- Fire alarm system in engine compartment
- Two electrical exterior mirrors and a front view mirror
- Manual sun visor
- Passenger's security system for the pneumatic doors
- Fire extinguisher
- Wheelchair ramp